The Plant Journal (1999) **17**(6), 709–713

Author index

Afsar, K. *see* Albinsky, D.
Albert, S., Després, B., Guilleminot, J., Bechtold, N., Pelletier, G., Delseny, M. and Devic, M. *The* EMB 506 *gene encodes a novel ankyrin repeat containing protein that is essential for the normal development of Arabidopsis embryos* 169
Albert, V.A. *see* Yu, D.
Albinsky, D., Masson, J.E., Bogucki, A., Afsar, K., Vass, I., Nagy, F. and Paszkowski, J. *Plant responses to genotoxic stress are linked to an ABA/salinity signaling pathway* 73
Allen, D.W. *see* Campisi, L.
Anderson, P.A. *see* Ayliffe, M.A.
Ayliffe, M.A., Frost, D.V., Finnegan, E.J., Lawrence, G.J., Anderson, P.A. and Ellis, J.G. *Analysis of alternative transcripts of the flax* L6 *rust resistance gene* 287

Baier, K. *see* Truernit, E.
Bánfalvi, Z. *see* Lakatos, L.
Barakate, A. *see* Halpin, C.
Barber, L. *see* Craig, J.
Barratt, P. *see* Craig, J.
Beale, M.H. *see* McLusky, S.R.
Beaudoin, F. *see* Lacey, D.J.
Bechtold, N. *see* Albert, S.
Bellés, J.M. *see* Gil-Mascarell, R.
Bennett, M.H. *see* McLusky, S.R.
Berghöfer, J. *see* Michl, D.
Bergounioux, C. *see* Tréhin, C.
Bibikova, T.N., Blancaflor, E.B. and Gilroy, S. *Microtubules regulate tip growth and orientation in root hairs of* Arabidopsis thaliana 657
Bisseling, T. *see* Miller, D.D.
Bisseling, T. *see* Schell, J.
Blancaflor, E.B. *see* Bibikova, T.N.
Bogucki, A. *see* Albinsky, D.
Börner, T. *see* Hedtke, B.
Briat, J.-F. *see* Van Wuytswinkel, O.
Brown, G.G. *see* Menassa, R.
Burbidge, A., Grieve, T.M., Jackson, A., Thompson, A., McCarty, D.R. and Taylor, I.B. *Characterisation of the ABA-deficient tomato mutant* notablis *and its relationship with maize* Vp14 427
Butcher, K. *see* Thorlby, G.

Campisi, L., Yang, Y., Yi, Y., Heilig, E., Herman, B., Cassista, A.J., Allen, D.W., Xiang, H. and Jack, T. *Generation of enhancer trap lines in* Arabidopsis *and characterization of expression patterns in the inflorescence* 699
Canut, H. *see* Galaud, J.-P.
Caput, D. *see* Galaud, J.-P.
Cardle, L. *see* Ramsay, L.
Carrière, M. *see* Galaud, J.-P.
Cassista, A.J. *see* Campisi, L.
Chalon, P. *see* Galaud, J.-P.
Chang, J.H. *see* Tobias, C.M.
Chou, H.-C. *see* Woo, Y.-M.
Christou, P. *see* Kohli, A.
Chua, N.-H. *see* Foster, R.
Chye, M.-L. *see* Xu, F.-X.
Clayton, H., Knight, M.R., Knight, H., McAinsh, M.R. and Hetherington, A.M. *Dissection of the ozone-induced calcium signature* 575
Clough, R.C., Jordan-Beebe, E.T., Lohman, K.N., Marita, J.M., Walker, J.M., Gatz, C. and Vierstra, R.D. *Sequences within both the N- and C-terminal domains of phytochrome A are required for PFR ubiquitination and degradation* 155
Cohen, M. *see* Ronen, G.
Coles, J.P., Phillips, A.L., Croker, S.J., García-Lepe, R., Lewis, M.J. and Hedden, P. *Modification of gibberellin production and plant development in* Arabidopsis *by sense and antisense expression of gibberellin 20-oxidase genes* 547
Consonni, G. *see* Dolfini, S.
Cooke, S.E. *see* Halpin, C.
Craig, J., Barratt, P., Tatge, H., Déjardin, A., Handley, L., Gardner, C.D., Barber, L., Wang, T., Hedley, C., Martin, C. and Smith, A.M. *Mutations at the* rug4 *locus alter the carbon and nitrogen metabolism of pea plants through an effect on sucrose synthase* 353
Croker, S.J. *see* Coles, J.P.

d'Alayer, J. *see* Houba-Hérin, N.
Davis, K.R. *see* Rao, M.V.
De Ruijter, N.C.A. *see* Miller, D.D.
Dean, C. *see* Page, T.
Degli Ivanissevich, S. *see* Ramsay, L.
Déjardin, A. *see* Craig, J.
Delseny, M. *see* Albert, S.
Dempsey, C.E. *see* Lacey, D.J.
Després, B. *see* Albert, S.
Devic, M. *see* Albert, S.
Ding, B. *see* Woo, Y.-M.
Dolfini, S., Landoni, M., Consonni, G., Rascio, N., Vecchia, F.D. and Gavazzi, G. *The maize* lilliputian *mutation is responsible for disrupted morphogenesis and minute stature* 11
Dong, F. *see* Jiang, J.
Dowson-Day, M.J. and Millar, A.J. *Circadian dysfunction causes aberrant hypocotyl elongation patterns in Arabidopsis* 63
Dülz, M. *see* Schell, J.

Edwards, A., Fulton, D.C., Hylton, C.M., Jobling, S.A., Gidley, M., Rössner, U., Martin, C. and Smith, A.M. *A combined reduction in activity of starch synthases II and III of potato has novel effects on the starch of tubers* 251
El Amrani, A. *see* Halpin, C.
Ellis, J.G. *see* Ayliffe, M.A.
Elomaa, P. *see* Yu, D.
Emons, A.C. *see* Miller, D.D.
Engels, C. *see* Haake, V.

Finnegan, E.J. *see* Ayliffe, M.A.
Foster, R. and Chua, N.-H. *An* Arabidopsis *mutant with deregulated ABA gene expression: implications for negative regulator function* 363
Fourcroy, P. *see* Van Wuytswinkel, O.
Franssen, H. *see* Schell, J.
Frendo, P., Gallesi, D., Turnbull, R., Van De Sype, G., Hérouart, D. and Puppo, A. *Localisation of glutathione and homoglutathione in* Medicago truncatula *is correlated to a differential expression of genes involved in their synthesis* 215
Frick, S. and Kutchan, T.M. *Molecular cloning and functional expression of* O*-methyltransferases common to isoquinoline alkaloid and phenylpropanoid biosynthesis* 329

© 1999 Blackwell Science Ltd

Fritze, K. *see* Schell, J.
Frommer, W.B. *see* Schulze, W.
Frost, D.V. *see* Ayliffe, M.A.
Fulton, D.C. *see* Edwards, A.

Galaud, J.-P., Carrière, M., Pauly, N., Canut, H., Chalon, P., Caput, D. and Pont-Lezica, R.F. *Construction of two ordered cDNA libraries enriched in genes encoding plasmalemma and tonoplast proteins from a high-efficiency expression library* 111
Gallesi, D. *see* Frendo, P.
García-Lepe, R. *see* Coles, J.P.
Gardner, C.D. *see* Craig, J.
Gaskin, P. *see* McLusky, S.R.
Gatz, C. *see* Clough, R.C.
Gavazzi, G. *see* Dolfini, S.
Geiger, M. *see* Haake, V.
Gidley, M. *see* Edwards, A.
Gillandt, S. *see* Hedtke, B.
Gil-Mascarell, R., López-Coronado, J.M., Bellés, J.M., Serrano, R. and Rodríguez, P.L. *The* Arabidopsis *HAL2-like gene family includes a novel sodium-sensitive phosphatase* 373
Gilroy, S. *see* Bibikova, T.N.
Glab, N. *see* Tréhin, C.
Glass, A.D.M. *see* Zhuo, D.
Gong, Z. *see* Saito, K.
Grieve, T.M. *see* Burbidge, A.
Griffiths, S. *see* Kohli, A.
Grignon, N. *see* Van Wuytswinkel, O.
Gubler, F., Raventos, D., Keys, M., Watts, R., Mundy, J. and Jacobsen, J.V. *Target genes and regulatory domains of the GAMYB transcriptional activator in cereal aleurone* 1
Guilleminot, J. *see* Albert, S.
Guyer, D. *see* Molina, A.

Haake, V., Geiger, M., Walch-Liu, P., Engels, C., Zrenner, R. and Stitt, M. *Changes in aldolase activity in wild-type potato plants are important for acclimation to growth irradiance and carbon dioxide concentration, because plastid aldolase exerts control over the ambient rate of photosynthesis across a range of growth conditions* 479
Haldrup, A., Naver, H. and Scheller, H.V. *The interaction between plastocyanin and photosystem I is inefficient in transgenic* Arabidopsis *plants lacking the PSI-N subunit of photosystem I* 689
Hallmann, A. and Rappel, A. *Genetic engineering of the multicellular green alga* Volvox*: a modified and multiplied bacterial antibiotic resistance gene as a dominant selectable marker* 99
Halpin, C., Cooke, S.E., Barakate, A., El Amrani, A. and Ryan, M.D. *Self-processing 2A-polyproteins – a system for co-ordinate expression of multiple proteins in transgenic plants* 453
Hammond, R.W. *see* Woo, Y.-M.
Handley, L. *see* Craig, J.
Hara-Nishimura, I. *see* Koumoto, Y.
Hayashi, M. *see* Mano, S.
Hayashida, N. *see* Ito, T.
Hedden, P. *see* Coles, J.P.
Hedley, C. *see* Craig, J.
Hedtke, B., Meixner, M., Gillandt, S., Richter, E., Börner, T. and Weihe, A. *Green fluorescent protein as a marker to investigate targeting of organellar RNA polymerases of higher plants* in vivo 557
Heilig, E. *see* Campisi, L.
Helariutta, Y. *see* Yu, D.
Henmi, K. *see* Takahashi, A.
Herman, B. *see* Campisi, L.
Hérouart, D. *see* Frendo, P.
Herrmann, R.G. *see* Michl, D.
Hetherington, A.M. *see* Clayton, H.
Hirschberg, J. *see* Ronen, G.
Höfgen, R. *see* Lakatos, L.
Houba-Hérin, N., Pethe, C., d'Alayer, J. and Laloue, M. *Cytokinin oxidase from* Zea mays*: purification, cDNA cloning and expression in moss protoplasts* 615
Huber, S.C. *see* Toroser, D.
Hylton, C.M. *see* Edwards, A.

Imai, R. *see* Rebers, M.
Inzé, D. *see* Reichheld, J.-P.
Ishitani, M. *see* Lee, H.
Itaya, A. *see* Woo, Y.-M.
Ito, T., Seki, M., Hayashida, N., Shibata, D. and Shinozaki, K. *Regional insertional mutagenesis of genes on* Arabidopsis thaliana *chromosome V using the* Ac/Ds *transposon in combination with a cDNA scanning method* 433

Jack, T. *see* Campisi, L.
Jackson, A. *see* Burbidge, A.
Jacobsen, J.V. *see* Gubler, F.
Jakowitsch, J., Papp, I., Moscone, E.A., Van Der Winden, J., Matzke, M. and Matzke, A.J.M. *Molecular and cytogenetic characterization of a transgene locus that induces silencing and methylation of homologous promoters in* trans 131
Jaworski, J.G. *see* Todd, J.
Jiang, J. *see* Jiang, J.
Jiang, J., Dong, F. and Jiang, J. *Digital mapping of bacterial artificial chromosomes by fluorescence* in situ *hybridization* 581
Jobling, S.A. *see* Edwards, A.
John, M. *see* Schell, J.
Jones, R.L. *see* Lonsdale, J.
Jordan-Beebe, E.T. *see* Clough, R.C.

Kamiya, Y. *see* Rebers, M.
Kaneta, T. *see* Rebers, M.
Karnauchov, I. *see* Michl, D.
Karpova, O.V. and Newton, K.J. *A partially assembled complex I in NAD4-deficient mitochondria of maize* 511
Kawaide, H. *see* Rebers, M.
Kawasaki, T. *see* Takahashi, A.
Keys, M. *see* Gubler, F.
Kim, W., Wan, C.-Y. and Wilkins, T.A. *Functional complementation of yeast vma1Δ cells by a plant subunit A homolog rescues the mutant phenotype and partially restores vacuolar H^+-ATPase activity* 501
Klein, M. *see* Lakatos, L.
Kleinow, T. *see* Schell, J.
Klösgen, R.B. *see* Michl, D.
Knight, H. *see* Clayton, H.
Knight, M.R. *see* Clayton, H.
Kobayashi, M. *see* Saito, K.
Kodama, O. *see* Takahashi, A.
Kohli, A., Griffiths, S., Palacios, N., Twyman, R.M., Vain, P., Laurie, D.A. and Christou, P. *Molecular characterization of transforming plasmid rearrangements in transgenic rice reveals a recombination hotspot in the CaMV 35S promoter*

and confirms the predominance of microhomology mediated recombination 591
Kondo, M. *see* Koumoto, Y.
Kotilainen, M. *see* Yu, D.
Koumoto, Y., Shimada, T., Kondo, M., Takao, T., Shimonishi, Y., Hara-Nishimura, I. and Nishimura, M. *Chloroplast Cpn20 forms a tetrameric structure in* Arabidopsis thaliana 467
Krause, K.-P. *see* Toroser, D.
Kurreck, J. *see* Toroser, D.
Kusaba, M. and Nishio, T. *Comparative analysis of* S *haplotypes with very similar* SLG *alleles in* Brassica rapa *and* Brassica oleracea 83
Kutchan, T.M. *see* Frick, S.

L'Homme, Y. *see* Menassa, R.
Lacey, D.J., Beaudoin, F., Dempsey, C.E., Shewry, P.R. and Napier, J.A. *The accumulation of triacylglycerols within the endoplasmic reticulum of developing seeds of* Helianthus annuus 397
Lai, M.M.C. *see* Woo, Y.-M.
Lakatos, L., Klein, M., Höfgen, R. and Bánfalvi, Z. *Potato StubSNF1 interacts with StubGAL83: a plant protein kinase complex with yeast and mammalian counterparts* 569
Laloue, M. *see* Houba-Hérin, N.
Landoni, M. *see* Dolfini, S.
Lardon, F. *see* Reichheld, J.-P.
Laurie, D.A. *see* Kohli, A.
Lawrence, G.J. *see* Ayliffe, M.A.
Lee, H., Xiong, L., Ishitani, M., Stevenson, B. and Zhu, J.-K. *Cold-regulated gene expression and freezing tolerance in an* Arabidopsis thaliana *mutant* 301
Leβnick, A. *see* Schell, J.
Lewis, M.J. *see* Coles, J.P.
Lewis, M.J. *see* McLusky, S.R.
Li, X. and Sze, H. *A 100 kDa polypeptide associates with the* V_o *membrane sector but not with the active oat vacuolar* H^+*-ATPase, suggesting a role in assembly* 19
Lohman, K.N. *see* Clough, R.C.
Lonsdale, J., McDonald, K.L. and Jones, R.L. *High pressure freezing and freeze substitution reveal new aspects of fine structure and maintain protein antigenicity in barley aleurone cells* 221
López-Coronado, J.M. *see* Gil-Mascarell, R.

Macaulay, M. *see* Ramsay, L.
Macknight, R. *see* Page, T.
Maestri, E. *see* Ramsay, L.
Maleck, K. *see* Molina, A.
Mano, S., Hayashi, M. and Nishimura, M. *Light regulates alternative splicing of hydroxypyruvate reductase in pumpkin* 309
Mansfield, J.W. *see* McLusky, S.R.
Marita, J.M. *see* Clough, R.C.
Martin, C. *see* Craig, J.
Martin, C. *see* Edwards, A.
Masson, J.E. *see* Albinsky, D.
Matzke, A.J.M. *see* Jakowitsch, J.
Matzke, M. *see* Jakowitsch, J.
McAinsh, M.R. *see* Clayton, H.
McCarty, D.R. *see* Burbidge, A.
McDonald, K.L. *see* Lonsdale, J.
McLusky, S.R., Bennett, M.H., Beale, M.H., Lewis, M.J., Gaskin, P. and Mansfield, J.W. *Cell wall alterations and localized accumulation of feruloyl-3′-methoxytyramine in onion epidermis at sites of attempted penetration by* Botrytis allii *are associated with actin polarisation, peroxidase activity and suppression of flavonoid biosynthesis* 523
McMichael Jr, R. *see* Toroser, D.
Mehto, M. *see* Yu, D.
Meixner, M. *see* Hedtke, B.
Menassa, R., L'Homme, Y. and Brown, G.G. *Post-transcriptional and developmental regulation of a CMS-associated mitochondrial gene region by a nuclear restorer gene* 491
Michl, D., Karnauchov, I., Berghöfer, J., Herrmann, R.G. and Klösgen, R.B. *Phylogenetic transfer of organelle genes to the nucleus can lead to new mechanisms of protein integration into membranes* 31
Miklashevichs, E. *see* Schell, J.
Millar, A.J. *see* Dowson-Day, M.J.
Miller, D.D., de Ruijter, N.C.A., Bisseling, T. and Emons, A.C. *The role of actin in root hair morphogenesis: studies with lipochito-oligosaccharide as a growth stimulator and cytochalasin as an actin perturbing drug* 141
Molina, A., Volrath, S., Guyer, D., Maleck, K., Ryals, J. and Ward, E. *Inhibition of protoporphyrinogen oxidase expression in* Arabidopsis *causes a lesion-mimic phenotype that induces systemic acquired resistance* 667
Morgante, M. *see* Ramsay, L.
Morino, K., Olsen, O.-A. and Shimamoto, K. *Silencing of an aleurone-specific gene in transgenic rice is caused by a rearranged transgene* 275
Moscone, E.A. *see* Jakowitsch, J.
Mundy, J. *see* Gubler, F.

Nagy, F. *see* Albinsky, D.
Napier, J.A. *see* Lacey, D.J.
Naver, H. *see* Haldrup, A.
Newton, K.J. *see* Karpova, O.V.
Nielsen, K. *see* Shirasu, K.
Nishimura, M. *see* Koumoto, Y.
Nishimura, M. *see* Mano, S.
Nishio, T. *see* Kusaba, M.

Ohlrogge, J.B. *see* Suh, M.C.
Okamoto, M. *see* Zhuo, D.
Oldroyd, G.E.D. *see* Tobias, C.M.
Oliver, R. *see* Shirasu, K.
Olsen, O.-A. *see* Morino, K.
Owens, R.A. *see* Woo, Y.-M.

Page, T., Macknight, R., Yang, C.-H. and Dean, C. *Genetic interactions of the Arabidopsis flowering time gene* FCA, *with genes regulating floral initiation* 231
Palacios, N. *see* Kohli, A.
Papp, I. *see* Jakowitsch, J.
Paszkowski, J. *see* Albinsky, D.
Pauly, N. *see* Galaud, J.-P.
Pawlowski, K. *see* Schell, J.
Pelletier, G. *see* Albert, S.
Perennes, C. *see* Tréhin, C.
Pethe, C. *see* Houba-Hérin, N.
Phillips, A.L. *see* Coles, J.P.
Piffanelli, P. *see* Shirasu, K.
Planchais, S. *see* Tréhin, C.
Pöllänen, E. *see* Yu, D.
Pont-Lezica, R.F. *see* Galaud, J.-P.
Post-Beittenmiller, D. *see* Todd, J.
Powell, W. *see* Ramsay, L.

Puppo, A. *see* Frendo, P.
Putterill, J. *see* Yung, M.-H.

Ramsay, L., Macaulay, M., Cardle, L., Morgante, M., Degli Ivanissevich, S., Maestri, E., Powell, W. and Waugh, R. *Intimate association of microsatellite repeats with retrotransposons and other dispersed repetitive elements in barley* 415
Rao, M.V. and Davis, K.R. *Ozone-induced cell death occurs via two distinct mechanisms in* Arabidopsis*: the role of salicylic acid* 603
Rappel, A. *see* Hallmann, A.
Rascio, N. *see* Dolfini, S.
Raventos, D. *see* Gubler, F.
Rebers, M., Kaneta, T., Kawaide, H., Yamaguchi, S., Yang, Y.-Y., Imai, R., Sekimoto, H. and Kamiya, Y. *Regulation of gibberellin biosynthesis genes during flower and early fruit development of tomato* 241
Reddy, S.K. *see* Veena
Reichheld, J.-P., Vernoux, T., Lardon, F., Van Montagu, M. and Inzé, D. *Specific checkpoints regulate plant cell cycle progression in response to oxidative stress* 647
Richter, E. *see* Hedtke, B.
Rodríguez, P.L. *see* Gil-Mascarell, R.
Röhrig, H. *see* Schell, J.
Ronen, G., Cohen, M., Zamir, D. and Hirschberg, J. *Regulation of carotenoid biosynthesis during tomato fruit development: expression of the gene for lycopene epsilon-cyclase is down-regulated during ripening and is elevated in the mutant* Delta 341
Rössner, U. *see* Edwards, A.
Ryals, J. *see* Molina, A.
Ryan, M.D. *see* Halpin, C.

Saito, K., Kobayashi, M., Gong, Z., Tanaka, Y. and Yamazaki, M. *Direct evidence for anthocyanidin synthase as a 2-oxoglutarate-dependent oxygenase: molecular cloning and functional expression of cDNA from a red forma of* Perilla frutescens 181
Satoh, H. *see* Takahashi, A.
Sauer, N. *see* Truernit, E.
Schaffer, R. *see* Yung, M.-H.
Schell, J., Bisseling, T., Dülz, M., Franssen, H., Fritze, K., John, M., Kleinow, T., Leßnick, A., Miklashevichs, E., Pawlowski, K., Röhrig, H., van de Sande, K., Schmidt, J., Steinbiß, H.-H. and Stoll, M. *Re-evaluation of phytohormone-independent division of tobacco protoplast-derived cells* 461
Scheller, H.V. *see* Haldrup, A.
Schmidt, J. *see* Schell, J.
Schmidt, R.J. *see* Yanagisawa, S.
Schultz, D.J. *see* Suh, M.C.
Schulze, W., Frommer, W.B. and Ward, J.M. *Transporters for ammonium, amino acids and peptides are expressed in pitchers of the carnivorous plant* Nepenthes 637
Schulze-Lefert, P. *see* Shirasu, K.
Seki, M. *see* Ito, T.
Sekimoto, H. *see* Rebers, M.
Serrano, R. *see* Gil-Mascarell, R.
Shewry, P.R. *see* Lacey, D.J.
Shibata, D. *see* Ito, T.
Shii, K. *see* Takahashi, A.
Shimada, T. *see* Koumoto, Y.
Shimamoto, K. *see* Morino, K.
Shimamoto, K. *see* Takahashi, A.
Shimonishi, Y. *see* Koumoto, Y.
Shinozaki, K. *see* Ito, T.
Shirasu, K., Nielsen, K., Piffanelli, P., Oliver, R. and Schulze-Lefert, P. *Cell-autonomous complementation of* mlo *resistance using a biolistic transient expression system* 293
Smith, A.M. *see* Craig, J.
Smith, A.M. *see* Edwards, A.
Sonnewald, U. *see* Toroser, D.
Sopory, S.K. *see* Veena
Stadler, R. *see* Truernit, E.
Staskawicz, B.J. *see* Tobias, C.M.
Steinbiß, H.-H. *see* Schell, J.
Stevenson, B. *see* Lee, H.
Stitt, M. *see* Haake, V.
Stitt, M. *see* Toroser, D.
Stoll, M. *see* Schell, J.
Suh, M.C., Schultz, D.J. and Ohlrogge, J.B. *Isoforms of acyl carrier protein involved in seed-specific fatty acid synthesis* 679
Sze, H. *see* Li, X.

Takahashi, A., Kawasaki, T., Henmi, K., Shii, K., Kodama, O., Satoh, H. and Shimamoto, K. *Lesion mimic mutants of rice with alterations in early signaling events of defense* 535
Takao, T. *see* Koumoto, Y.
Tanaka, Y. *see* Saito, K.
Tang, L. *see* Woo, Y.-M.
Tatge, H. *see* Craig, J.
Taylor, I.B. *see* Burbidge, A.
Teeri, T.H. *see* Yu, D.
Thompson, A. *see* Burbidge, A.
Thorlby, G., Veale, E., Butcher, K. and Warren, G. *Map positions of* SFR *genes in relation to other freezing-related genes of* Arabidopsis thaliana 445
Tobias, C.M., Oldroyd, G.E.D., Chang, J.H. and Staskawicz, B.J. *Plants expressing the* Pto *disease resistance gene confer resistance to recombinant PVX containing the avirulence gene* AvrPto 41
Todd, J., Post-Beittenmiller, D. and Jaworski, J.G. KCS1 *encodes a fatty acid elongase 3-ketoacyl-CoA synthase affecting wax biosynthesis in* Arabidopsis thaliana 119
Toroser, D., McMichael Jr, R., Krause, K.-P., Kurreck, J., Sonnewald, U., Stitt, M. and Huber, S.C. *Site-directed mutagenesis of serine 158 demonstrates its role in spinach leaf sucrose-phosphate synthase modulation* 407
Tréhin, C., Glab, N., Perennes, C., Planchais, S. and Bergounioux, C. *M phase-specific activation of the* Nicotiana sylvestris Cyclin B1 *promoter involves multiple regulatory elements* 263
Truernit, E., Stadler, R., Baier, K. and Sauer, N. *A male gametophyte-specific monosaccharide transporter in* Arabidopsis 191
Turnbull, R. *see* Frendo, P.
Twyman, R.M. *see* Kohli, A.

Vain, P. *see* Kohli, A.
van de Sande, K. *see* Schell, J.
Van De Sype, G. *see* Frendo, P.
Van Der Winden, J. *see* Jakowitsch, J.
Van Montagu, M. *see* Reichheld, J.-P.
Van Wuytswinkel, O., Vansuyt, G., Grignon, N., Fourcroy, P. and Briat, J.-F. *Iron homeostasis alteration in transgenic tobacco overexpressing ferritin* 93
Vansuyt, G. *see* Van Wuytswinkel, O.

Vass, I. *see* Albinsky, D.
Veale, E. *see* Thorlby, G.
Vecchia, F.D. *see* Dolfini, S.
Veena, Reddy, V.S. and Sopory, S.K. *Glyoxalase I from* Brassica juncea*: molecular cloning, regulation and its over-expression confer tolerance in transgenic tobacco under stress* 385
Vernoux, T. *see* Reichheld, J.-P.
Vidmar, J.J. *see* Zhuo, D.
Vierstra, R.D. *see* Clough, R.C.
Volrath, S. *see* Molina, A.

Walch-Liu, P. *see* Haake, V.
Walker, J.M. *see* Clough, R.C.
Wan, C.-Y. *see* Kim, W.
Wang, T. *see* Craig, J.
Ward, E. *see* Molina, A.
Ward, J.M. *see* Schulze, W.
Warren, G. *see* Thorlby, G.
Watts, R. *see* Gubler, F.
Waugh, R. *see* Ramsay, L.
Weihe, A. *see* Hedtke, B.
Wilkins, T.A. *see* Kim, W.
Woo, Y.-M., Itaya, A., Owens, R.A., Tang, L., Hammond, R.W., Chou, H.-C., Lai, M.M.C. and Ding, B. *Characterization of nuclear import of potato spindle tuber viroid RNA in permeabilized protoplasts* 627

Xiang, H. *see* Campisi, L.
Xiong, L. *see* Lee, H.
Xu, F.-X. and Chye, M.-L. *Expression of cysteine proteinase during developmental events associated with programmed cell death in brinjal* 321

Yamaguchi, S. *see* Rebers, M.
Yamazaki, M. *see* Saito, K.
Yanagisawa, S. and Schmidt, R.J. *Diversity and similarity among recognition sequences of Dof transcription factors* 209
Yang, C.-H. *see* Page, T.
Yang, Y. *see* Campisi, L.
Yang, Y.-Y. *see* Rebers, M.
Yi, Y. *see* Campisi, L.
Yu, D., Kotilainen, M., Pöllänen, E., Mehto, M., Elomaa, P., Helariutta, Y., Albert, V.A. and Teeri, T.H. *Organ identity genes and modified patterns of flower development in* Gerbera hybrida *(Asteraceae)* 51
Yung, M.-H., Schaffer, R. and Putterill, J. *Identification of genes expressed during early* Arabidopsis *carpel development by mRNA differential display: characterisation of* ATCEL2*, a novel endo-1,4-β-D-glucanase gene* 203

Zamir, D. *see* Ronen, G.
Zhu, J.-K. *see* Lee, H.
Zhuo, D., Okamoto, M., Vidmar, J.J. and Glass, A.D.M. *Regulation of a putative high-affinity nitrate transporter* (Nrt2; 1At) *in roots of* Arabidopsis thaliana 563
Zrenner, R. *see* Haake, V.

The Plant Journal (1999) **17**(6), 715–717

Subject index

ABA 73, 363
abscisic acid biosynthesis 427
Ac/Ds 433
actifluorfen 667
actin cytoskeleton 523
actin filament 141
actin filaments 627
acyl carrier protein 679
ade1 363
aldolase (plastid) 479
aleurone 1, 275
alternative 287
alternative splicing 309
amino acid transporter 637
ammonium transporter 637
amylopectin 251
ankyrin repeat 169
anthocyanidin synthase 181
anthocyanin 181
antisense RNA 275
anti-sense 547
Arabidopsis 169, 203, 231, 363, 657, 667, 689
Arabidopsis mutant 73
Arabidopsis thaliana 63, 111, 433, 467, 557
assembly 19
asteraceae 51
ATP synthase 31
ATPase 19
auxin 461

B. juncea 385
bacterial artificial chromosomes 581
barley 1, 293, 415
barley aleurone 221
biological clocks 63
ble gene 99
blue-native PAGE 511
Botrytis allii 523
Brassica napus 491
Brassica oleracea 83
Brassica rapa 83
BTH 667

caffeic acid 329
calcium 657
calcium signalling 575
callose degradation 191
Calvin cycle 479
CaMV 35S promoter 591
carbon dioxide (elevated) 479
carnivorous plant 637
carotenoid biosynthesis 341
carpel 203, 699
CAT 453
catalytic subunit 501
catechol 329
cDNA scanning 433
cell cycle 263, 647
cell death 535
cell division 11
cell expansion 63
cell proliferation 461
cell signaling 73
cell wall 523
cellular redox state 603
chaperonin 20 467
checkpoint 647
Chenopodium album 557
chimeric genes 99
chloroplast 31, 467
circadian rhythms 63
cold signal transduction 301
cold tolerance 445
condensing enzyme 119
co-ordinate expression 453
copalyl diphosphate synthase 241
Coriandrum sativum 679
cotton 501
crop protection 445
cryobiology 445
Cyclin B 263
cytochalasin D 141
cytokinin 461, 615
cytoplasmic male sterility 491
cytoskeleton 141, 657
cytosol 309

dC-tailed cDNA library 111
defense responses 603
development 63, 169
differential display 181
digital mapping 581
disease resistance 287
disrupted morphogenesis 11
DNA cytosine methylation 131
DNA-binding specificity 209
Dof protein 209
dominant selectable marker 99

electron transport 689
emb mutant 169
endo-1,4-β-D-glucanase 203
enhancer trap 699
ENOD40 461

FAD 615
fatty acid elongation 119
FCA 231
ferric reductase 93
ferritin 93
fertility restoration 491
feruloyltyramine 523
flax 287
floral initiation 231
flower 321
flower development 51, 241, 491, 699
flowering 547
flowering time 231
fluorescence *in situ* hybridization 131, 581
FMDV 2A 453
freezing tolerance 301
fruit 321

© 1999 Blackwell Science Ltd

fruit development 341
functional complementation 501

GA 20-oxidase 547
GAL83 569
gene expression 1, 209
gene identification 445
gene interaction 231
gene phylogeny 51
gene regulation 301, 363
gene silencing 275
gene transfer 31
gene-for-gene 41
genome 445
genotoxic stress 73
Gerbera hybrida 51
GFP 293
gibberellin 1, 547
gibberellin biosynthesis 241
gibberellin 20-oxidases 241
gibberellin 3β-hydroxylases 241
gln 563
K-glutamylcysteine synthase 215
glutathione 215, 385
Glyoxylase I 385
green algae 99
green fluorescent protein 557
GUS 453
GUS-staining 191

heat treatment 467
heteroplasmy 511
hexadecenoic acid 679
high pressure freezing/freeze substition 221
high-affinity influx 563
histidine-tag 467
homeostasis 93
homeotic genes 51
homeotic 203
homoglutathione 215
homology-dependent gene silencing 131
Hordeum vulgare 293
hotspot 591
hydroxycinnamic acid amides 523
hydroxypyruvate reductase 309
hypersensitive response 535, 603

IHATS 563
illegitimate recombination 591
immunocytochemistry 221
in situ hybridization 637
in vitro capping 491
in vitro mutagenesis 155
iron 93
isoforms 251, 679

kin2 363

L6 287
leaf peroxisome 309
lesion-mimic 667
light regulation 63, 309
lilliputian mutant 11
lipochito-oligosaccharide 141, 461
long-PCR 591
low temperature 301
Ltp2 275

MADS box 51
maize 11, 209, 427
Medicago truncatula 215
membrane proteins 111
menadione 647
methionine sulfoximine 563
methylglyoxal 385
microtubules 627, 657
mitochondria 557
MMS 73
molecular cloning 181
molecular mapping 445
monocot 275
monosaccharide transport 191
morphogenesis 141
mRNA accumulation 241
mRNA differential display 203
mutagenesis 407, 433
mutant 301, 341
mutant pea 353
myb 1
MYB 263

NaCl 73
NADH dehydrogenase 511
NCS2 511
Nepenthes 637
Nicotiana 407
nitrate 563
nitrogen fixation 353
non-chromosomal stripe 511
noroclaurine 329
notabilis 427
Nrt2 563
nucellus 321
nuclear import 627

oat 19
oil bodies 397
oleosin 397
O-methylation 329
onion 523
ordered library 111
over-expression 547
oxidase 615
oxidative burst 603
oxidative stress 93, 575, 647
2-oxoglutarate-dependent oxygenase 181
ozone 575

PAP 373
papilla formation 523
paramutation 131
peptide transporter 637
Perilla frutescens 181
peroxidase 523
petal 699
petroselinic acid 679
phage-type RNA polymerases 557
phenylurea 615

phosphorylation 407
photosynthesis 479
photosystem I 689
Physcomitrella patens 615
physical mapping 581
phytochrome 155
Pisum sativum L. 353
plant development 547
plasmalemma 111
plastids 557
plastocyanin 689
pollen development 191
polyprotein 453
potato spindle tuber viroid 627
potato 569
powdery mildew 293
programmed cell death 603
protein kinase complex 569
protein transport 31
protein–protein interaction 569
proteolysis 155
proton 19
protoporphyrinogen oxidase 667
psaN 689
Pseudomonas 41
Pto 41
pumpkin 309

reactive oxygen species 535
recognition 41
recombination 83
recombination junction 591
repetitive DNA 415
resistance 41
resistance gene 293
Rhizobium nodule 353
rice 275, 591
RNA trafficking 627
root hairs 657
run-on transcription 491
rust 287

salinity 373
SAR 667
seed development 353
self-incompatibility 83
senescence 321
signal transduction 363, 575
simple sequence repeats 415
SLG 83
SNF1 569
Solanum tuberosum 251
specificity 575
splicing 287
SRK 83
stamen 699
starch 479
starch properties 251
starch synthase 251
starch synthesis 251
stress 385
sucrose synthase 353
sucrose-phosphate synthase 407
sugar transport 191
sulphotransferases 373
synchronization 263

T-DNA 699
T-DNA tag 119
T-DNA tagging 461
T-DNA transformation 169
Thalictrum tuberosum 329
thiolprotease 321
Thunbergia alata 679
thylakoid membrane 31
tip growth 141, 657
tobacco BY2 cell 627, 647
tobacco plants 647
tomato 41, 241, 341, 427
tonoplast 111
transactivation domain 1
transcription 263
transcription factor 209
transformants (antisense) 479
transformation 99, 689
transgene rearrangement 591
transgenic plants 131, 453
transgenic 93, 407
transgenic tobacco 155, 385, 467
transient gene expression 293
transmission electron microscopy 221
transposon 433
trans-silencing 131
triaglycerols 397

ubiquitin 155
UV 73

vacuolar 19
vacuolar H^+-ATPase 501
VMA1 501
Volvox carteri 99
Vp14 427
Vph1 19

water stress 427
wax mutant 119
wax synthesis 119

xylogenesis 321

yeast 501
yeast expression 119
yeast two-hybrid system 569

Zea mays 615
zinc finger like protein 209

THE plant JOURNAL

VOLUME 17

Editors

Dianna Bowles
Jeff Dangl
Jean Dénarié
Liz Dennis
Jérôme Giraudat
Harry Klee
Maarten Koornneef
Cathie Martin
Maurice Moloney
Jeff Schell
Julian Schroeder
Mark Stitt

Published by Blackwell Science Ltd,
in association with the Society for Experimental Biology

©1999 Blackwell Science Ltd and the Society for Experimental Biology. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd and the Society for Experimental Biology for libraries and other users registered with the Copyright Clearance Centre (CCC) Transactional Reporting Service, provided that the base fee of $14.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Chief Editor.
0960–7412/99 $14.00.

Published by Blackwell Science Ltd, in association with the Society for Experimental Biology

Blackwell Science Ltd

Osney Mead, Oxford OX2 0EL, UK
25 John Street, London WC1N 2BL, UK
23 Ainslie Place, Edinburgh EH3 6AJ, UK

Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
Blackwell Science Asia, 54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG-Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Cho-ku, Tokyo 103-0001, Japan
Blackwell Science Ltd, 10 rue Casimir Delavigne, 75006 Paris, France

ISSN 0960–7412

Typeset and printed by Information Press Ltd, Oxford, UK.

Contents

Number 1 January 1999

v **Editorial**

1 **Target genes and regulatory domains of the GAMYB transcriptional activator in cereal aleurone.** *F. Gubler, D. Raventos, M. Keys, R. Watts, J. Mundy and J.V. Jacobsen*

11 **The maize *lilliputian* mutation is responsible for disrupted morphogenesis and minute stature.** *S. Dolfini, M. Landoni, G. Consonni, N. Rascio, F.D. Vecchia and G. Gavazzi*

19 **A 100 kDa polypeptide associates with the V_o membrane sector but not with the active oat vacuolar H^+-ATPase, suggesting a role in assembly.** *X. Li and H. Sze*

31 **Phylogenetic transfer of organelle genes to the nucleus can lead to new mechanisms of protein integration into membranes.** *D. Michl, I. Karnauchov, J. Berghöfer, R.G. Herrmann and R.B. Klösgen*

41 **Plants expressing the *Pto* disease resistance gene confer resistance to recombinant PVX containing the avirulence gene *AvrPto*.** *C.M. Tobias, G.E.D. Oldroyd, J.H. Chang and B.J. Staskawicz*

51 **Organ identity genes and modified patterns of flower development in *Gerbera hybrida* (Asteraceae).** *D. Yu, M. Kotilainen, E. Pöllänen, M. Mehto, P. Elomaa, Y. Helariutta, V.A. Albert and T.H. Teeri*

63 **Circadian dysfunction causes aberrant hypocotyl elongation patterns in Arabidopsis.** *M.J. Dowson-Day and A.J. Millar*

73 **Plant responses to genotoxic stress are linked to an ABA/salinity signaling pathway.** *D. Albinsky, J.E. Masson, A. Bogucki, K. Afsar, I. Vass, F. Nagy and J. Paszkowski*

83 **Comparative analysis of *S* haplotypes with very similar *SLG* alleles in *Brassica rapa* and *Brassica oleracea*.** *M. Kusaba and T. Nishio*

93 SHORT COMMUNICATION
Iron homeostasis alteration in transgenic tobacco overexpressing ferritin. *O. Van Wuytswinkel, G. Vansuyt, N. Grignon, P. Fourcroy and J.-F. Briat*

99 TECHNICAL ADVANCE
Genetic engineering of the multicellular green alga *Volvox*: a modified and multiplied bacterial antibiotic resistance gene as a dominant selectable marker. *A. Hallmann and A. Rappel*

111 TECHNICAL ADVANCE
Construction of two ordered cDNA libraries enriched in genes encoding plasmalemma and tonoplast proteins from a high-efficiency expression library. *J.-P. Galaud, M. Carrière, N. Pauly, H. Canut, P. Chalon, D. Caput and R.F. Pont-Lezica*

Number 2 January 1999

119 ***KCS1*** **encodes a fatty acid elongase 3-ketoacyl-CoA synthase affecting wax biosynthesis in *Arabidopsis thaliana*.** *J. Todd, D. Post-Beittenmiller and J.G. Jaworski*

131 **Molecular and cytogenetic characterization of a transgene locus that induces silencing and methylation of homologous promoters in *trans*.** *J. Jakowitsch, I. Papp, E.A. Moscone, J. van der Winden, M. Matzke and A.J.M. Matzke*

141 **The role of actin in root hair morphogenesis: studies with lipochito-oligosaccharide as a growth stimulator and cytochalasin as an actin perturbing drug.** *D.D. Miller, N.C.A. de Ruijter, T. Bisseling and A.C. Emons*

155 **Sequences within both the N- and C-terminal domains of phytochrome A are required for PFR ubiquitination and degradation.** *R.C. Clough, E.T. Jordan-Beebe, K.N. Lohman, J.M. Marita, J.M. Walker, C. Gatz and R.D. Vierstra*

169 **The *EMB* 506 gene encodes a novel ankyrin repeat containing protein that is essential for the normal development of Arabidopsis embryos.** *S. Albert, B. Després, J. Guilleminot, N. Bechtold, G. Pelletier, M. Delseny and M. Devic*

181 **Direct evidence for anthocyanidin synthase as a 2-oxoglutarate-dependent oxygenase: molecular cloning and functional expression of cDNA from a red forma of *Perilla frutescens*.** *K. Saito, M. Kobayashi, Z. Gong, Y. Tanaka and M. Yamazaki*

191 **A male gametophyte-specific monosaccharide transporter in *Arabidopsis*.** *E. Truernit, R. Stadler, K. Baier and N. Sauer*

203 SHORT COMMUNICATION
Identification of genes expressed during early *Arabidopsis* carpel development by mRNA differential display: characterisation of *ATCEL2*, a novel endo-1,4-β-D-glucanase gene. *M.-H. Yung, R. Schaffer and J. Putterill*

209 SHORT COMMUNICATION
Diversity and similarity among recognition sequences of Dof transcription factors. *S. Yanagisawa and R.J. Schmidt*

215 SHORT COMMUNICATION
Localisation of glutathione and homoglutathione in *Medicago truncatula* is correlated to a differential expression of genes involved in their synthesis. *P. Frendo, D. Gallesi, R. Turnbull, G. Van de Sype, D. Hérouart and A. Puppo*

221 TECHNICAL ADVANCE
High pressure freezing and freeze substitution reveal new aspects of fine structure and maintain protein antigenicity in barley aleurone cells. *J. Lonsdale, K.L. McDonald and R.L. Jones*

Number 3 February 1999

v **Thank you**

231 **Genetic interactions of the Arabidopsis flowering time gene *FCA*, with genes regulating floral initiation.** *T. Page, R. Macknight, C.-H. Yang and C. Dean*

241 **Regulation of gibberellin biosynthesis genes during flower and early fruit development of tomato.** *M. Rebers, T. Kaneta, H. Kawaide, S. Yamaguchi, Y.-Y. Yang, R. Imai, H. Sekimoto and Y. Kamiya*

251 **A combined reduction in activity of starch synthases II and III of potato has novel effects on the starch of tubers.** *A. Edwards, D.C. Fulton, C.M. Hylton, S.A. Jobling, M. Gidley, U. Rössner, C. Martin and A.M. Smith*

263 **M phase-specific activation of the *Nicotiana sylvestris Cyclin B1* promoter involves multiple regulatory elements.** *C. Tréhin, N. Glab, C. Perennes, S. Planchais and C. Bergounioux*

275 **Silencing of an aleurone-specific gene in transgenic rice is caused by a rearranged transgene.** *K. Morino, O.-A. Olsen and K. Shimamoto*

287 **Analysis of alternative transcripts of the flax *L6* rust resistance gene.** *M.A. Ayliffe, D.V. Frost, E.J. Finnegan, G.J. Lawrence, P.A. Anderson and J.G. Ellis*

293 **Cell-autonomous complementation of *mlo* resistance using a biolistic transient expression system.** *K. Shirasu, K. Nielsen, P. Piffanelli, R. Oliver and P. Schulze-Lefert*

301 **Cold-regulated gene expression and freezing tolerance in an *Arabidopsis thaliana* mutant.** *H. Lee, L. Xiong, M. Ishitani, B. Stevenson and J.-K. Zhu*

309 **Light regulates alternative splicing of hydroxypyruvate reductase in pumpkin.** *S. Mano, M. Hayashi and M. Nishimura*

321 SHORT COMMUNICATION
Expression of cysteine proteinase during developmental events associated with programmed cell death in brinjal. *F.-X. Xu and M.-L. Chye*

Number 4 February 1999

329 **Molecular cloning and functional expression of *O*-methyltransferases common to isoquinoline alkaloid and phenylpropanoid biosynthesis.** *S. Frick and T.M. Kutchan*

341 **Regulation of carotenoid biosynthesis during tomato fruit development: expression of the gene for lycopene epsilon-cyclase is down-regulated during ripening and is elevated in the mutant *Delta*.** *G. Ronen, M. Cohen, D. Zamir and J. Hirschberg*

353 **Mutations at the *rug4* locus alter the carbon and nitrogen metabolism of pea plants through an effect on sucrose synthase.** *J. Craig, P. Barratt, H. Tatge, A. Déjardin, L. Handley, C.D. Gardner, L. Barber, T. Wang, C. Hedley, C. Martin and A.M. Smith*

363 **An *Arabidopsis* mutant with deregulated ABA gene expression: implications for negative regulator function.** *R. Foster and N.-H. Chua*

373 **The *Arabidopsis HAL2*-like gene family includes a novel sodium-sensitive phosphatase.** *R. Gil-Mascarell, J.M. López-Coronado, J.M. Bellés, R. Serrano and P.L. Rodríguez*

385 **Glyoxalase I from *Brassica juncea*: molecular cloning, regulation and its over-expression confer tolerance in transgenic tobacco under stress.** *Veena, V.S. Reddy and S.K. Sopory*

397 **The accumulation of triacylglycerols within the endoplasmic reticulum of developing seeds of *Helianthus annuus*.** *D.J. Lacey, F. Beaudoin, C.E. Dempsey, P.R. Shewry and J.A. Napier*

407 **Site-directed mutagenesis of serine 158 demonstrates its role in spinach leaf sucrose-phosphate synthase modulation.** *D. Toroser, R. McMichael Jr, K.-P. Krause, J. Kurreck, U. Sonnewald, M. Stitt and S.C. Huber*

415 **Intimate association of microsatellite repeats with retrotransposons and other dispersed repetitive elements in barley.** *L. Ramsay, M. Macaulay, L. Cardle, M. Morgante, S. degli Ivanissevich, E. Maestri, W. Powell and R. Waugh*

427 SHORT COMMUNICATION
Characterisation of the ABA-deficient tomato mutant *notablis* and its relationship with maize *Vp14*. *A. Burbidge, T.M. Grieve, A. Jackson, A. Thompson, D.R. McCarty and I.B. Taylor*

433 TECHNICAL ADVANCE
Regional insertional mutagenesis of genes on *Arabidopsis thaliana* chromosome V using the *Ac/Ds* transposon in combination with a cDNA scanning method. *T. Ito, M. Seki, N. Hayashida, D. Shibata and K. Shinozaki*

445 TECHNICAL ADVANCE
Map positions of *SFR* genes in relation to other freezing-related genes of *Arabidopsis thaliana*. *G. Thorlby, E. Veale, K. Butcher and G. Warren*

453 TECHNICAL ADVANCE
Self-processing 2A-polyproteins – a system for co-ordinate expression of multiple proteins in transgenic plants. *C. Halpin, S.E. Cooke, A. Barakate, A. El Amrani and M.D. Ryan*

Number 5 March 1999

461 **Re-evaluation of phytohormone-independent division of tobacco protoplast-derived cells.** *J. Schell, T. Bisseling, M. Dülz, H. Franssen, K. Fritze, M. John, T. Kleinow, A. Leßnick, E. Miklashevichs, K. Pawlowski, H. Röhrig, K. van de Sande, J. Schmidt, H.-H. Steinbiß and M. Stoll*

467 **Chloroplast Cpn20 forms a tetrameric structure in *Arabidopsis thaliana*.** *Y. Koumoto, T. Shimada, M. Kondo, T. Takao, Y. Shimonishi, I. Hara-Nishimura and M. Nishimura*

479 **Changes in aldolase activity in wild-type potato plants are important for acclimation to growth irradiance and carbon dioxide concentration, because plastid aldolase exerts control over the ambient rate of photosynthesis across a range of growth conditions.** *V. Haake, M. Geiger, P. Walch-Liu, C. Engels, R. Zrenner and M. Stitt*

491 **Post-transcriptional and developmental regulation of a CMS-associated mitochondrial gene region by a nuclear restorer gene.** *R. Menassa, Y. L'Homme and G.G. Brown*

501 **Functional complementation of yeast *vma1*Δ cells by a plant subunit A homolog rescues the mutant phenotype and partially restores vacuolar H^+-ATPase activity.** *W. Kim, C.-Y. Wan and T.A. Wilkins*

511 **A partially assembled complex I in NAD4-deficient mitochondria of maize.** *O.V. Karpova and K.J. Newton*

523 **Cell wall alterations and localized accumulation of feruloyl-3′-methoxytyramine in onion epidermis at sites of attempted penetration by *Botrytis allii* are associated with actin polarisation, peroxidase activity and suppression of flavonoid biosynthesis.** *S.R. McLusky, M.H. Bennett, M.H. Beale, M.J. Lewis, P. Gaskin and J.W. Mansfield*

535 **Lesion mimic mutants of rice with alterations in early signaling events of defense.** *A. Takahashi, T. Kawasaki, K. Henmi, K. Shii, O. Kodama, H. Satoh and K. Shimamoto*

547 **Modification of gibberellin production and plant development in *Arabidopsis* by sense and antisense expression of gibberellin 20-oxidase genes.** *J.P. Coles, A.L. Phillips, S.J. Croker, R. García-Lepe, M.J. Lewis and P. Hedden*

557 SHORT COMMUNICATION
Green fluorescent protein as a marker to investigate targeting of organellar RNA polymerases of higher plants *in vivo*. *B. Hedtke, M. Meixner, S. Gillandt, E. Richter, T. Börner and A. Weihe*

563 SHORT COMMUNICATION
Regulation of a putative high-affinity nitrate transporter (*Nrt2;1At*) in roots of *Arabidopsis thaliana*. *D. Zhuo, M. Okamoto, J.J. Vidmar and A.D.M. Glass*

569 SHORT COMMUNICATION
Potato StubSNF1 interacts with StubGAL83: a plant protein kinase complex with yeast and mammalian counterparts. *L. Lakatos, M. Klein, R. Höfgen and Z. Bánfalvi*

575 SHORT COMMUNICATION
Dissection of the ozone-induced calcium signature. *H. Clayton, M.R. Knight, H. Knight, M.R. McAinsh and A.M. Hetherington*

581 TECHNICAL ADVANCE
Digital mapping of bacterial artificial chromosomes by fluorescence *in situ* hybridization. *J. Jiang, F. Dong and J. Jiang*

589 **Erratum concerning Volume 17, Number 1, January 1999, pages 51–62, Yu *et al.***

Number 6 March 1999

591 **Molecular characterization of transforming plasmid rearrangements in transgenic rice reveals a recombination hotspot in the CaMV 35S promoter and confirms the predominance of microhomology mediated recombination.** *A. Kohli, S. Griffiths, N. Palacios, R.M. Twyman, P. Vain, D.A. Laurie and P. Christou*

603 **Ozone-induced cell death occurs via two distinct mechanisms in *Arabidopsis*: the role of salicylic acid.** *M.V. Rao and K.R. Davis*

615 **Cytokinin oxidase from *Zea mays*: purification, cDNA cloning and expression in moss protoplasts.** *N. Houba-Hérin, C. Pethe, J. d'Alayer and M. Laloue*

627 **Characterization of nuclear import of potato spindle tuber viroid RNA in permeabilized protoplasts.** *Y.-M. Woo, A. Itaya, R.A. Owens, L. Tang, R.W. Hammond, H.-C. Chou, M.M.C. Lai and B. Ding*

637 **Transporters for ammonium, amino acids and peptides are expressed in pitchers of the carnivorous plant *Nepenthes*.** *W. Schulze, W.B. Frommer and J.M. Ward*

647 **Specific checkpoints regulate plant cell cycle progression in response to oxidative stress.** *J.-P. Reichheld, T. Vernoux, F. Lardon, M. Van Montagu and D. Inzé*

657 **Microtubules regulate tip growth and orientation in root hairs of *Arabidopsis thaliana*.** *T.N. Bibikova, E.B. Blancaflor and S. Gilroy*

667 **Inhibition of protoporphyrinogen oxidase expression in *Arabidopsis* causes a lesion-mimic phenotype that induces systemic acquired resistance.** *A. Molina, S. Volrath, D. Guyer, K. Maleck, J. Ryals and E. Ward*

679 **Isoforms of acyl carrier protein involved in seed-specific fatty acid synthesis.** *M.C. Suh, D.J. Schultz and J.B. Ohlrogge*

689 **The interaction between plastocyanin and photosystem I is inefficient in transgenic *Arabidopsis* plants lacking the PSI-N subunit of photosystem I.** *A. Haldrup, H. Naver and H.V. Scheller*

699 TECHNICAL ADVANCE
Generation of enhancer trap lines in *Arabidopsis* and characterization of expression patterns in the inflorescence. *L. Campisi, Y. Yang, Y. Yi, E. Heilig, B. Herman, A.J. Cassista, D.W. Allen, H. Xiang and T. Jack*

709 **Author Index**

715 **Subject Index**